

Wythe County Buildings and Grounds

Circuit Court and General District Court Paver Replacement

Wythe County Board of Supervisors is accepting sealed bid proposals for the replacement of pavers and concrete in front of the Circuit Court Building and the General District Building. All bids should be marked paver replacement and to the attention of Martha Collins, 340 South 6th Street, Wytheville, VA 24382. Bids should be received no later than 10a.m. on May 24th, 2019. All inquiries about the project should be directed to Billy Bowers at wbbowers@wytheco.org or by calling 276-223-6119.

The specifications that should be adhered to are as follows:

Demolition:

- Circuit Court Sidewalk - Remove and dispose of the existing concrete slab and pavers (52'-0" X 15'-2') in front of the Circuit Court Building, starting at the porch columns and extending out away from the building. Existing surface is estimated at 5" thick.
- General District Sidewalk – Remove and dispose of the existing brick pavers and underlying concrete in front of the General District Court Building, 4 rows at 45'-6" X 8", 2 rows at 38'-8" X 8", 2 rows at 48'-4" X 16", 1 row at 48'-4" X 8", 1 row at 32'-0" X 8", 1 row at 17'-0" X 8" and 1 row at 12'-4" X 8". Existing surface is estimated at 5" thick.

Contractor should provide pricing for at least one or all of the bid options listed below.

Circuit Court Main Bid

- Provide a cost and time to remove existing concrete and pavers, prep area according to industry standards, and then pour and stamp concrete with a herringbone brick pattern with a reddish color that will be approved by owners. The complete process of work and materials should be presented to the owner, including proposed psi and mesh requirements, for approval prior to installation.

Circuit Court Alternative Bid

- Provide a cost and time to remove existing concrete and pavers, prep area according to industry standards, and then pour back using 4000 psi concrete reinforced with 10 gauge wire mesh. The finish will be broomed with an applied sealer. The complete process of work and materials should be presented to the owner for approval prior to installation.

General District Court Main Bid

- Provide a cost and time to remove existing brick pavers and underlying concrete, prep area according to industry standards, and then pour and stamp concrete with a straight stamp design with a reddish color that will be approved by owners. The complete process of work and materials should be presented to the owner, including proposed psi and mesh requirements, for approval prior to installation.

General District Court Alternative Bid

- Provide a cost and time to remove existing brick pavers and underlying concrete, prep area according to industry standards, and then pour back using 4000 psi concrete reinforced with 10 gauge wire mesh. The finish will be broomed with an applied sealer. The concrete will be a reddish color that will be approved by owners. The complete process of work and materials should be presented to the owner for approval prior to installation.

General Notes

- County will determine the best proposed option and price
- Demolition must be completed during nonworking hours. Working hours are Monday through Friday 8:00 am to 5:00pm.
- All demolition materials will be removed and disposed of by the contractor
- Contractor will supply all labor and material
- Contractor will work in such a fashion so that the courts can remain open during business hours
- In addition to the bid price the contractor will provide a certificate of insurance, a copy of their contractor license, a schedule of work start and completion time, and at least 3 references of similar work.
- Payment in full will be made within 45 days of final inspection and submitted invoice.

Bid Sheet Circuit Court and General District Court Paver Replacement

Company Name: _____

Contractor License number: _____

Responsible Person: _____

Phone number: _____

Email address: _____

Circuit Court Main Bid \$ _____

General District Court Main Bid \$ _____

Main Bid Option Total \$ _____


Circuit Court Alternative Bid \$ _____

General District Court Alternative Bid \$ _____

Alternative Bid Option Total \$ _____

Circuit Court Paver/concrete replacement

225 South 4th Street



General District Court-345 South 4th St

